








Figures 19–22: Closeup of distal aspect of chelal fixed finger, external view, showing constellation array in genus *Smeringurus*. **19.** *Smeringurus mesaensis*, male, ABDSP, California, USA. **20.** *S. grandis*, male, Oakies Landing, Baja California, Mexico. **21.** *S. aridus*, female, ABDSP, California, USA. **22.** *S. vachoni vachoni*, male, San Bernardino Co., California, USA.



Figures 23–26: Closeups of sensilla pair. **23.** *Paruroctonus surensis*, male, Las Bombas, Baja California Sur, Mexico. **24.** *Paruroctonus silvestrii*, male, Chihuahua Road, ABDSP, California, USA. **25.** *Smenigurus grandis*, male, Oakies Landing, Baja California, Mexico. **26.** *Vejovoides longinguinis*, female, Las Bombas, Baja California Sur, Mexico.

**27****29****28**

Figures 27–30: Closeups of individual sensilla. **27–28** *Smeringurus vachoni immanis*, female, 1000 Palms, California, USA. **27**. Distal aspect of fixed finger, external view, showing a petite sensilla (indicated by “P”). **28**. Closeup of petite sensilla. **29**. *Paruroctonus arnaudi*, male, El Socorro, Baja California, Mexico. **30**. *Smeringurus aridus*, female, ABDSP, California, USA.